
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



χοσοσοσοσοσοσοσοσοσοσοσοσοσοσοσοχ

Elmer Sherwood Nursery Company

Phone 9, Odessa, N. Y.

Wholesale Trade List 1937-1938

We offer a Special Trade Discount of 40% From Prices in This List

Quantity Discount—3% on 10 to 49 of one item 5% on 50 to 100 of one item

EVERGREENS

ARBOR VITAE

| American, 15-18" | Difference of the second secon | \$.45 |
|--------------------|--|-----------|
| " 18-24" | The state of the s | 60 |
| " 2-21/2' | | 70 |
| " 21/2-3' | Ps. Tr. | :80 |
| " 3.3½′ | CEIT | 85 |
| " 3½-4′ | 1 - CED | 1.10 |
| " 4.5' | 1 VEP L 6 100- | 1.25 |
| " 5-6' | Пс | 1.50 |
| " 6-7' | Department of A | 1.85 |
| " 7-8' | of Algarent: | Acre 2.50 |
| " 8-9' | The state of the s | 3.35 |
| " 9-10' | | 4.00 |
| " 10-12′ | | ~ 00 |
| Aurea Nana, 18-2 | | 7 0 7 |
| " " 2-2 | | 1.75 |
| " " 2½ | | 2.50 |
| Douglas Pyramid, | | 50 |
| " " " | 15-18" | 65 |
| cc cc | 18-24" | 90 |
| <i>"</i> | 04.00// | 1.00 |
| | 2½-3′ | 1.40 |
| u u | 0.44 | 1.85 |
| u u | 4-5' | 2.25 |
| a a | 5-6' | 0.00 |
| Elegantissima, 15- | 18" | 00 |
| 18- | | |
| " 24- | | 80 |
| | ½-3′ | |
| " 3- | | 1.00 |
| | obe, 15-18" | |
| 66 | " 18-24" | 1.00 |
| Elwangeriana, 18- | | 80 |
| 66 2- | | 1.00 |
| | -/2-3' | 1.25 |
| " 3. | | 1.75 |
| Globosa, 9-12" | | 45 |
| 12-15" | | 60 |
| " 15-18" | | 75 |
| " 18-24" | | 1.00 |
| " 2-2½' | | 1,25 |
| 72 | | |

| | AR | BOR VITAE- | -Continued | Each |
|-----------|-------------------|---|---|------------------------------|
| Globosa, | 21/2-3' | | | . 1.75 |
| " | / ' | | | |
| " | $3\frac{1}{2}-4'$ | | | |
| Globe A | merican, | | | |
| 66 | 66 | 7 20 | | |
| " | " | 0.01// | | 7 70 |
| George I | | | | |
| " | " " | T = T 0 !! | • | 65 |
| 66 | " | 700111 | | |
| " | " | 2-21/2' | | . 1.00 |
| " | " | - /2 | | 1.25 |
| " | " | | | |
| " | " | | ••••• | 0.00 |
| " | " | | | |
| " | " | 0.04 | ••••• | = 00 |
| Hovey's, | | · · · · · · · · · · · · · · · · · · · | | |
| movey s, | | | | |
| " | | | | |
| 66 | | | | 7 00 |
| " | 21/2.3' | | | 4 0 5 |
| " | 3.4' | | | . 1.50 |
| Orientali | | | | |
| " | 2 - 3'. | | | |
| " | 3-4' | | | |
| " | 4-5' . 5-6' | | | 7 05 |
| " | 6-7' | | | |
| Plicata | | | | |
| 66 | " | 0.01/1 | | |
| " | " | 011 01 | | 7 00 |
| " | · · | 0.44 | | 1.50 |
| " | " | | | . 1.75 |
| 66 | " | | | 2.00 |
| Pyramid | America | · · · / · · · · · · · · · · · · · · · · | | |
| u u | " | 0.44 | | |
| " | " | . ~. | | 1.4 0 1.6 5 |
| 66 | 66 | | | |
| Reidi, 18 | 3-24" | | | |
| | | | | |
| " § | | | | |
| | | | | 1.50 |
| Siberian, | 15-18" | | | |
| " | 18-24" | | | |
| ii ii | 2-2½' 2½-3' | | | |
| " | - 1.5 | | | |
| u | | | | |
| Tom Thu | ımb. 12- | 15" | | 50 |
| " | ' 15- | 18" | | 60 |
| " | ' 18- | 24'' | | 75 |
| | Dwarf I | Mossey, 10-12' | , | 50 |
| " | Cripps (| Golden, 12-18' | , | 75 |
| | | | | |
| | | FIR | | |
| Concolor | . 12-15" | | | 65 |
| " | 15-18'' | | | |
| " | 18-24" | | | |
| " | 24-30" | •••• | • | |
| " | . 21/2-3' | | | |
| " | | | | |
| " | | | ••••• | |
| " | 0 =1 | | •••••••••••• | |
| | 6-7′ | | • | 5.00 |

| FIR—Continued | Each |
|-----------------------------|--------|
| Balsam, 10-12" | |
| " 12-15" | 0.5 |
| " 15-18" | ~ 0 |
| " 18-24" | |
| " 2.2½' " 21/2' | |
| 4 2 4 | |
| 0.4 | |
| " 4·6 " 5·6' | 0.00 |
| " 6-7' | ~ ~ ~ |
| " 7.8′ | 0.50 |
| Douglas, 2 yr. transplanted | .30 |
| " 12·15" | |
| " 15-18" | |
| 10.54 | |
| " 3-4' | 0.00 |
| " 4-5' | 0 = 0 |
| " 5-6' | 0.00 |
| Hemlock, Canadensis 12-15" | |
| " 15-18" | .75 |
| " 18-24" | |
| " " 2-2½' | |
| $2\frac{7}{2}$ -3 | |
| " " 3-3½' " " 3½-4' | |
| " " 4-5' | |
| " Sargents, 18-24" | |
| Heather, Scotch, 12-15" | |
| | |
| JUNIPER | |
| Aurea, flat 15-18" | 1.00 |
| Andorra, 12-15" | |
| " 15-18" | 4 0 = |
| " 18-24" | 1.75 |
| " 2-21/2' | |
| Burki, 18-24" | |
| Cannarti, 15-18" | 75 |
| " 18-24" " 2-2½' | |
| Chinensis, 3-4' | ~ - ~ |
| " 4-5' | 0 0 0 |
| Communis Aurea, 12-15" | 0 |
| " " 15-18" | |
| " " 18-24" | |
| " " 24-30" | |
| Communis Depressa, 15-18" | |
| " " 10-24 | 7 0 = |
| " 4-6′ | 0.00 |
| Excelsa, 12-15" | 50 |
| " 15·18" | |
| " 18-24" | . 1.00 |
| Horizontalis, 12-18" | 7 00 |
| 10.74 | 1 0 = |
| " 2-3' | |
| " 15-18" | 0.84 |
| " 18-24" | 75 |
| " 24-30" | |
| " 2½-3' | |
| " 3-3½′ | |
| 0 72 - 4 | |
| " 4-5' | |
| Naborensis, 5-6' | 2.50 |
| 11000101010, 0 0 | |

| | JUI | NIPEI | R—Continued | Each |
|--------------------|----------------------|---|--------------|------------------------------|
| Pfitzers, 12-1 | | | | 1.00 |
| " 15- | | | | 1.25 |
| " 18- " 24- | | | | $\frac{140}{1.75}$ |
| Prostrata, 1 | | | | |
| <i>u</i> 2. | $2\frac{1}{2}'$ | | | 1.00 |
| Prostrata A | urea, 18 | | | 1.25 |
| Sabins, 12-13 | | | | .85 |
| " 15-18 " 18-24 | . 11 | | | 1.10 1.40 |
| | | | ed | .50 |
| Sargents, 12 | -15" | - | | .60 |
| | | | | .75 |
| Squamata M | | | | $\frac{1.00}{1.25}$ |
| " " " " | " 1 | 5.18'' | | 1.65 |
| u | | 8-24" | | 2.00 |
| " | | _ | transplanted | .60 |
| Suecica, 18- | | | | 1 00 |
| Virginiana, | | | | .75 |
| · · | 0.01/4 | | | 1.25 |
| · · · | | | | 1.35 |
| " | | | | 1.75 |
| " | | | ••••• | 2.25 |
| " | 0.897 | | | 2.75 3.50 |
| Virginiana (| | | ••••• | 1.75 |
| " | | 24-30" | | 2.25 |
| " | " | 21/2-3 | | 2.50 |
| " | " | 3-31/2 | | 2.75 |
| " | " | 3½-4′ 4-5′ | | 3.00 3.50 |
| " | " | | | |
| | | | INE | |
| Augtrian 10 | 94" | _ | | 75 |
| Austrian, 18 | | | | .90 |
| | $\frac{2}{1/2}$ | | | 1 00 |
| | -4' | | | 1.35 |
| | 0.4 | | | 1.65 |
| O. | 04 | | | $\frac{1.90}{2.50}$ |
| U | | | | |
| | | | •••••••••••• | 8.50 |
| | 2-14′ | | 1 | 2.50 |
| Densiflora, 1 | | | | .75 |
| | 0.44 | | | .90 |
| • | | | •••••• | 1.00 1.50 |
| | w at | | | 1.75 |
| | | | | 2.00 |
| Mugho, 8-10 | | • | | .50 |
| " 10-12 " 12-15 | - 11 | | | .60 |
| " 15-18 | | | | .80 1.20 |
| " 18-24 | | | | 1.40 |
| " 2-21 | ½' | | | 1.60 |
| " 2½ | | | | 1.75 |
| Montana Sto | | | | 1.25 |
| | | | | 1.50 |
| | 0.4 | | | 2.25 |
| | 0.4 | | | 2.25 2.50 |
| " | 4-5' 5-6' 6-7' | | | |
| Rega Scotch | 4-5' 5-6' 6-7' 6-8' | | | 2.50 3.00 3.00 |
| " | 4-5' 5-6' 6-7' | | | 2.50 3.00 3.00 5.00 |

| PINE—Continued H | lach |
|----------------------------|--------------|
| Scotch, 2 yr. transplanted | .35 |
| " 15-18" | .50 |
| 10.24 | .65 .80 |
| " 2-3' " 3-4' | 1.25 |
| " 4-5' | 1.65 |
| " 5-6′ | 2.00 |
| " 6-8' | |
| " 8-10' | 5.00 |
| 10*14 | 0.00 |
| " 12-15' " 15-16' " 1 | 5.00 |
| " 16-18' | 7.00 |
| RETINOSPORA | |
| | 50 |
| Filifera, 12-18" | .50 .65 |
| " 2-21/2' | 1.20 |
| " 2½-3' | 1.50 |
| Globosa Green, 12-15" | .65 |
| " " 15-18" | .85 |
| " " 18-24" | 1.10 |
| Globe Golden, 12-15" | .65 .85 |
| " " 15-18" | 1.10 |
| " " 24-30" | 1.25 |
| Obtusa, 18-24" | .90 |
| " 24-30" | 1.15 |
| Pisifera, 12-15" | .60 |
| 10-44 | .75 1.00 |
| " 24-30" | 1.25 |
| " 3-4' | 1.50 |
| " 4-5′ | 2.00 |
| " 5-6' | 2.50 |
| <u>"6-7'</u> | 3.25 |
| " 7-8' | 4.50 5.00 |
| " 8-10" | .60 |
| " " 18-24" | .80 |
| " " 2½-3' | 1.50 |
| " " 3- 4 " | |
| " " 4-5' | |
| 3-0 | 3.00 |
| Plumosa, 12-15" | .65 |
| " 18-24" | .85 |
| " 2-2½' | TOP |
| " 2½-3' | |
| " 3-4′ | |
| " 4-5' | |
| Plumosa Aurea, 12-18" | .60 .85 |
| " " 18-24" | 4 00 |
| " " 2½-3' | 7 50 |
| Squarrosa, 12-18" | .60 |
| " 18-24" | |
| " 2-3' | 7 =0 |
| " 3.4′ | 1.50 |
| SPRUCE | |
| Black Hills, 3-4' | 1.50 |
| " 4-5' | |
| <u>" " 5-6'</u> | |
| " " 6-7' | 3.50 |
| pr. | |

| | | SPRUCE—Continued | Each |
|---------|------------------------------|-------------------|--------------|
| Colorad | lo Blue | , 12-18" | 1.00 |
| " | " | 18-24" | |
| " | " | 2-2½′ | |
| " | " | 2½-3′ | 2.50 |
| " | " | 3-3½′ | |
| " | " | 3½-4′ | 0 70 |
| " | " | 4-5' | ~ |
| " | " | 6-7' | 4 00 |
| 66 | " | 7-8' | = 00 |
| " | " | 8-9' | 0.00 |
| " | " | 9-10' | |
| " | Green | | 40 |
| " | ii ii | 15-18" | |
| " | " | 18-24" | |
| " | " | 2-2½' | 0.0 |
| " | 66 | 3-4' | 1.05 |
| " | " | 4-5' | 4 20 |
| · · · | " | 5-6' | 4 85 |
| " | " | 6-7' | 0.00 |
| " | " | 7-8' | 2.65 |
| " | " | 8-9' | |
| " | " | 9-10' | |
| Koster | | 12-15" | |
| " | | 15-18" | 1.75 |
| " | " | 18-24" | |
| " | " | 2-2½' 2½-3' | |
| u | " | 3-4' | 4 00 |
| " | " | 4-5' | 1 50 |
| " | " | 5-6' | F 00 |
| " | " | 6-7' | 0.00 |
| " | " | 8-10' | 10.00 |
| Moerhe | | 2-15" | 1.50 |
| " | | 5-18" | 2 00 |
| " | | 8-24" | 2.50 |
| " | 2 | 4-30" | |
| " | | 2½-3′ 3-3½′ | 3.75 4.50 |
| " | | 3-3½′ 3½-4′ | = 00 |
| " | | $4.4\frac{1}{2}'$ | = = 0 |
| · · · | | 4½-5′ | |
| · · · | | 5-6' | 0 =0 |
| " | | 6-7' | 7.50 |
| | | | 30 |
| Norway | 7, 12-18 | 8" | |
| " | 18-24 | | |
| " | 2-3' | | |
| " | 3-4 ′ 4-5 ′ | | |
| " | 4-5 5-6' | | 4 00 |
| " | 6-7' | | 4.05 |
| " | 7-8' | | |
| " | 8-10 | | |
| Orinoka | a, 18-24 | | |
| White. | | | |
| " | 18-24" | | 70 |
| " | | | |
| " | | | |
| " | | | |
| " | O 100 A | | 0 = 0 |
| | | www.trongnlonted | |
| Evergr | eens, 1 | yr. transplanted | 35 |

| TA VIII | Each |
|-------------------------------|------------------|
| Baccata, 12-15" | ** 0.0 |
| 15-18" | |
| " 18-24" | |
| Capitata, 15-18" | |
| 10-2± | |
| " 2-21/2" | 0.0= |
| " 3-31½' | |
| Cuspidata, 2 yr. transplanted | |
| " 12-15" | |
| " 15-18" | |
| " 18-24" | |
| 4-4-72 | |
| " 3-3½' Hicksii, 12-15" | |
| " 15-18" | |
| " 18-24" | |
| " 2-2½' | ~ ~ ~ |
| " 2½-3' | |
| " 3-3½' | |
| 1 yr. transplanted | 90 |
| ORNAMENTAL TREES | |
| | F0 |
| Ailanthus, 2½-4′ | |
| " 5-6' | |
| Amelanchier, 3-4' | 60 |
| Ash, White, 6-8' | 50 |
| " " 8-10' | 2- |
| " " 10-12' | |
| " " 2-3" caliper | |
| 5-± camper | |
| Balm of Gilead, 5-6" caliper | . 3.00 . 1.65 |
| " " 8-10' | |
| " Purple, 15-18" | |
| " 4.5' | . 4.00 |
| Birch, Canoe, 5-6' | 75 |
| " " 6-8' | 90 |
| O-1U | . 1.00 |
| " " 2-2½" caliper | 2.50 3.50 |
| " 4-5" caliper | |
| " White, 4.5' | |
| " " 5-6' | = 0 |
| " | |
| " " 8-10' | |
| " " 10-12' | |
| " " 2-2½" caliper | |
| " " 3-3½" caliper | |
| " " 3½-4" caliper | |
| " 4.5" caliper | . 6.50 |
| " 5-6" caliper | . 8.00 |
| " Clumps, 5-6' | |
| " " 6-8' | |
| " " 8-10' | 2.00 |
| Butternut, 2 yr. | |
| " 4-5' | |
| " 5-6' | |
| " 6-8' | . 1.00 |
| " 2" caliper | |
| " Jap. 6-8 ⁷ | 2.00 |
| Carpinus, Caroliniana 5-6' | 85 |
| Catalpa Bungeii, 2 yr. heads | |
| yr, neads | . 1.00 |

| | 0 | RNAM | ENT | AL 3 | REES | SC | ontin | ued | Each |
|---------|--------|---------------|-------------------------------|----------------------|--------------------|----------|-------|---|---------------------|
| Catal | pa Sp | eciosa, | 5-6' | | | | | | .50 |
| " | | " | 6-8' | | | | | | 60 |
| " | _ | " | 8-10' | | | | | • | |
| Cherr | y, Jar | anese, | 4-5′ | | | | | | 1.65 |
| Cladra | astis, | Yellow | ' Woo | d, 18 | 3-24" | | ••••• | | 50 .75 |
| Chro.ls | Doob | +012a 0 | 9/ | 2 | | ••••• | | | 70 .60 |
| Grab, | Decn | 3- | -5 4′ | | | | | | 90 |
| 66 | Purn | le Liea: | f. 5-6' | | | | | | 1.00 |
| Dogw | ood, T | White I | Flowe | ring. | 18-24 | " | | ••••• | .60 |
| | , | 44 | * 6 | 0, | 3-4' | | | | .75 |
| " | | " | " | | 4-5' | | | •••• | |
| " | | u D - 3 | " | | 5-6 | | | | |
| " | | Red | " | | 18-24 2-3' | | | | - 40 |
| 66 | | · · | " | | $\frac{2-3}{3-4'}$ | | | | |
| Elm. | Ameri | can. 4 | ·5′ | | | | | | |
| " | " | | | | | | | | |
| " | " | 6- | 8' | | | | | | .70 |
| " | " | | | | | | | | |
| " | ii ii | | 12' | | | | | | 1.00 |
| " | " | 27 | call 1/ 2" | per . | | ••••• | ••••• | | 1.50 |
| 66 | · · · | 3. | $31_6''$ | calli | er | | | | $\frac{1.60}{2.75}$ |
| " | · · · | 3: | $\frac{1}{2} - \frac{4}{4}''$ | calin | er | | | | 3.50 |
| " | " | 4- | 5" ca | lipei | | | | | 7.00 |
| | | a, 3-4' | | | | | | | |
| " | " | 4.5' | | | | | | | |
| " | " | 5-6' | | | | | | | |
| " | " | 6-8' 8-10' | | | | | | | |
| " | 66 | | | | | | | | |
| " | " | | | | | | | | |
| " | " | | | | | | | | |
| Ginkg | o, 2½ | | | | | | | | |
| " | 3-4 | | | | | | | | |
| Hickor | ry, Sh | iellbark | x, 5-6' | | | | | | |
| " | | " | | | | | | | |
| | n aaa | | | | | | | | |
| Hydra | пдеа | " 4 |)-4 5′ | | | • | | | 60 |
| " | | " g | 5-6' | | | | | | .75 |
| Ironwo | ood, 1 | 2-15' . | | | | | | | 2.00 |
| | | | | | | | | | |
| Linder | ı, Am | erican, | 5-6' | | | | | | |
| " | | " | 6-8' 8-10' | | | | | ······································ | |
| 66 | | " | | | liner | | | | 1.20 |
| " | | · · · | 2-21/3 | z" ca | liper . | | | | 2 25 |
| " | | " | 21/2-3 | 3" ca | liper . | | | | 2.50 |
| " | | " | 3-4'' | calip | er | | | ••••• | 3.00 |
| " | Eu | opean, | | | | | | | |
| " | | | 8-10' | | | | | • | |
| " | | " | 10-12′ 2-3″ | | | | | | |
| Locust | , Com | mon. 3 | " cali | per | | | | | 1.50 |
| Maple, | | | | | | | | | |
| a i | Jap. | Blood | Leaf, | 15-1 | | | | | |
| 66 | " | " | " | 18-2 | | | | | 2.50 |
| " | " | " | " | 24-3 | 2′ | ••••• | | | 3.50 |
| u | " | " | " | | | | | | |
| " | Negr | ında, 3 | -4' | | | | | | .40 |
| " | 6 | 4 | -6' | | | | | | |
| " | 6 | | | | | | | | .75 |
| 66 | 6 | 10 | -12′ | | •••••• | | ••••• | | .90 |

| | ORNAMENTAL TREES—Continued | Each |
|--------|---------------------------------|------------------|
| Mapl | le Negunda, 2-3" caliper | 1.50 |
| " | " 3-4" caliper | -2.25 |
| ii ii | " 4-5" caliper | |
| " | Norway, 5-6' | .50 |
| " | " 6-8' " 8-10' | |
| " | " 10-12′ | |
| u | " 1½-2″ caliper | $\frac{1}{2.00}$ |
| · · · | " 2-2½" caliper | 2.50 |
| " | " 2½-3" caliper | |
| " | " 3-3½" caliper | |
| " | " 3½-4" caliper | |
| " | Pennsylvanium, 6-8' | |
| " | Rubrum, 5-6' | |
| " | " 6-8' | .75 |
| " | " 8-10' | |
| " | " 8-10' | 1.50 |
| " | Schwedleri, 6-8' | 1.35 |
| " | O V | |
| " | " 10-12' | |
| " | 172.2 camper | 2.25 |
| 66 | " 2-2½" caliper Silver, 6-8' | 2.75 |
| " | " 8-10' | .50 |
| " | " 10-12′ | .75 |
| " | " 1½-2" caliper | .80 |
| " | " 2-2½" caliper | 1.10 |
| " | " 2½-3" caliper | 1.35 |
| ii ii | " 3-3½" caliper | |
| " | 5 72-4 Camper | 2.75 |
| " | 4-9 camper | 4.00 |
| " | Sugar, 5-6' | 1.00 |
| " | " 8-10′ | 1.35 |
| " | " 10-12' | 1 00 |
| " | " 1½-2" caliper | 1.75 |
| " | " 2-2½" caliper | 2.25 |
| " | " 3-3½" caliper | |
| | 572-4 camper | |
| Mtn. | Ash, 4-5' | .75 |
| " | | $1.00 \\ 1.50$ |
| " | " 6-8' | |
| Mulb | | .75 |
| MI UID | | |
| Oak. | Nigra, 5-6' | |
| " | 6-8' | 1.40 |
| " | " 8-10' | |
| " | " 1½-2" caliper | 2.50 |
| " | " 2-2½" caliper | 3.50 |
| " | Pin, 3-5' | 1.00 |
| " | 0°U | |
| " | " 6-8' " 8-10' | |
| " | " 1½-2" caliper | |
| " | Red, 5-6' | .90 |
| " | " 6-8' | 1.10 |
| " | " 8-10' | 1.50 |
| " | " 1½-2" caliper | 2.25 |
| " | " 2-2½" caliper | 3.50 |
| " | " 2½-3" caliper | |
| " | White, 2-2½" caliper | |
| " | " 3-3½" caliper | |
| " | " 3½-4" caliper | |
| | * | |

| ORNAMENTAL TREES—Continued | Each |
|---------------------------------------|------|
| Plane, Oriental, 5-6' | |
| " " 6-8' | |
| 0-10 | 7 50 |
| " " 10-12' | |
| " 5-6' | 50 |
| " " 6-8' | |
| " " 8-10′ | |
| " " 1½-2" caliper | |
| " " 2-2½" caliper | |
| Caronna, 0-0 | |
| " " 8-10' " " 10-12' | |
| " " 2-3" caliper | |
| " Lombardy, 3.5' | |
| " 5-6' | 0.5 |
| " 6-8′ | |
| " " 8-10′ | |
| " " 12-15' | |
| Prunus Pissardi, 2-3' | |
| " " 3-4' | |
| " " 4-5' | |
| Red Bud, Judas Tree, 2-3' | |
| " " " 3-4' | |
| " " " 5-6' | |
| Sophora Vicifolia, 2½-3' | |
| Strawberry Tree, 18-24" | |
| " " 2-3' | |
| 5-4 | |
| " " 4-5' | |
| Sumach, Staghorn, 10-12' | |
| Sweet Gum, 5-7' | |
| Tulip Tree, 3-4' | |
| " 6-8' | 1.00 |
| " " 3" caliper | |
| Varnish Tree, 3-4' | |
| " 4-5′ | |
| Walnut, Black, 5-6' | 85 |
| " " 6-8' " English, 5-6' | |
| " " 6-8' | |
| " Japan, 2-3' | |
| " 8-10' | 1.25 |
| Willow, Babylonica, 5-6' | |
| " | 85 |
| 8-10 | |
| " " 2-3" caliper " French Pussy, 6-8' | 1.50 |
| " " 8-10' | 1.00 |
| " Golden Wpg. 5-6' | |
| " " 6-8' | 1 00 |
| " Upright, 8-10' | |
| " Laurel Leaf, 5-6' | |
| " " 6-8' | |
| "Rosemary, 6-8' | |
| " " 8-10' | |
| " Wis. Wpg. 6-8' | 65 |
| " " 8-10' | |
| " " 10.12' | 1.25 |

ORNAMENTAL SHRUBS

| Almond | | |
|--|--|---|
| | Pink, 18-24" | .40 |
| | named, 18-24" | .40 |
| Amorph | a, 5-6' | .30 |
| | leda, 2-3' | 1.00 |
| | Arborescens, white flower, 18-24" | 2.0 |
| " | Calendulacea, flame, 15-18" | 1.25 |
| " | " 18-24" | 1.60 |
| " | " 2-21/2' | 2.00 |
| " | Mollis, orange-red, 12-15" | $1.00 \\ 1.25$ |
| u | 10 10 | |
| " | Nudiflora, 18-24" | 1.00 |
| Barberr | y, Thunbergi, 9-12" | .10 |
| " | " 12-15" | .14 |
| " | " 15-18" | .18 |
| " | " 18-24" " 2-3' | .25 |
| · · · | Red Leaf, 9-12" | .30 |
| " | " " 12·15" | .40 |
| | " " 15-18" | 50 |
| | y, 15-18" | .35 |
| Beauty | Bush, 18-24" | 45 65 |
| 66 | | 1.00 |
| Bleedin | g Heart, clumps | .65 |
| | orn, 5-6' | .50 |
| Butterfl | y Bush, 2 yr | .35 |
| Calluna | Vulgaris, Scotch Heather, 10-12" | .50 |
| Calycan | thus, 15-18" | .30 |
| " | 18-24" | .35 |
| | 2-3' | $\frac{.40}{.25}$ |
| Caragan " | na, Sweet Pea Shrub, 12-18" | .2.7 |
| 66 | | |
| ** | « « « <u>2</u> .3′ | .40 |
| Clethra, | <u> </u> | |
| Clethra, | 18-24" | .40 40 .25 |
| Clethra, Coralbe | 18-24" | .40 40 .25 .30 |
| Clethra, Coralbe | 18-24" | .40 40 .25 .30 .35 |
| Clethra, Coralbe | 18-24" rry, 15-18" 18-24" 2-3' Elegantissima, 2-3' | .40 40 .25 .30 .35 |
| Clethra, Coralbe | 18-24" rry, 15-18" 18-24" 2-3' Elegantissima, 2-3' Gray Bark, 2-3' | .40 40 .25 .30 .35 .50 .35 |
| Clethra, Coralbe " " Cornus, " " | 18-24" rry, 15-18" 18-24" 2-3' Elegantissima, 2-3' Gray Bark, 2-3' Lantana, yellow twig, 2-3' Siberica, 2-3' | .40 40 .25 .30 .35 .50 .35 .30 |
| Clethra, Coralbee " " Cornus, " " " | 18-24" rry, 15-18" 18-24" 2-3' Elegantissima, 2-3' Gray Bark, 2-3' Lantana, yellow twig, 2-3' Siberica, 2-3' " 3-4' | .40 40 .25 .30 .35 .50 .35 .30 .30 .40 |
| Clethra, Coralbe | 18-24" rry, 15-18" 18-24" 2-3' Elegantissima, 2-3' Gray Bark, 2-3' Lautana, yellow twig, 2-3' Siberica, 2-3' " 3-4' ster, Acutifolia, 2-3' | .40 40 .25 .30 .35 .50 .35 .30 .40 .75 |
| Clethra, Coralbee " " Cornus, " " " | 18-24" rry, 15-18" 18-24" 2-3' Elegantissima, 2-3' Gray Bark, 2-3' Lantana, yellow twig, 2-3' Siberica, 2-3' " 3-4' ster, Acutifolia, 2-3' " 3-4' " 4-5' | .40 40 .25 .30 .35 .30 .35 .30 .40 .75 |
| Clethra, Coralbe " Cornus, " Cornus, " Cotonea | 18-24" rry, 15-18" 18-24" 2-3' Elegantissima, 2-3' Gray Bark, 2-3' Lantana, yellow twig, 2-3' Siberica, 2-3' " 3-4' ster, Acutifolia, 2-3' " 3-4' " 4-5' | .40 40 .25 .30 .35 .50 .30 .40 .75 .90 1.00 |
| Clethra, Coralbe " Cornus, " " " Cotonea " " " " " " " " " " " " " " " " " " " | 18-24" rry, 15-18" 18-24" 2-3' Elegantissima, 2-3' Gray Bark, 2-3' Lantana, yellow twig, 2-3' Siberica, 2-3' " 3-4' ster, Acutifolia, 2-3' " 4-5' Franchetti, 15-18" Simousi, 3-4' | .40 40 .25 .30 .35 .50 .30 .40 .75 .90 1.00 .75 |
| Clethra, Coralbe " Cornus, " " Cotonea " " " Daphne | 18-24" rry, 15-18" 18-24" 2-3' Elegantissima, 2-3' Gray Bark, 2-3' Lantana, yellow twig, 2-3' Siberica, 2-3' " 3-4' ster, Acutifolia, 2-3' " 4-5' Franchetti, 15-18" Simousi, 3-4' Cneorum, 6-8" | .40 40 .25 .30 .35 .50 .30 .40 .75 .90 1.00 .75 .75 |
| Clethra, Coralbe " Cornus, " " " Cotonea " " " " " " " " " " " " " " " " " " " | 18-24" rry, 15-18" 18-24" 2-3' Elegantissima, 2-3' Gray Bark, 2-3' Lantana, yellow twig, 2-3' Siberica, 2-3' " 3-4' ster, Acutifolia, 2-3' " 4-5' Franchetti, 15-18" Simousi, 3-4' Cneorum, 6-8" " 8-10" | .40 40 .25 .30 .35 .30 .30 .40 .75 .90 1.00 .75 .60 |
| Clethra, Coralbe " Cornus, " " " Cotonea " " " Daphne " " | 18-24" rry, 15-18" 18-24" 2-3' Elegantissima, 2-3' Gray Bark, 2-3' Lantana, yellow twig, 2-3' Siberica, 2-3' " 3-4' ster, Acutifolia, 2-3' " 4-5' Franchetti, 15-18" Simousi, 3-4' Cneorum, 6-8" " 8-10" " 10-12" | .40 40 .25 .30 .35 .30 .30 .40 .75 .90 1.00 .75 .60 .80 |
| Clethra, Coralbe " Cornus, " " Cotonea " " " Daphne " " Deutzia " | 18-24" rry, 15-18" 18-24" 2-3' Elegantissima, 2-3' Gray Bark, 2-3' Lantana, yellow twig, 2-3' Siberica, 2-3' " 3-4' ster, Acutifolia, 2-3' " 4-5' Franchetti, 15-18" Simousi, 3-4' Cneorum, 6-8" " 8-10" " 10-12" Crenata, 2-3' " 3-4' | .40 40 .25 .30 .35 .30 .30 .40 .75 .90 1.00 .75 .60 .80 1.00 .30 .40 |
| Clethra, Coralbe " Cornus, " " Cotonea " " " Daphne " " Deutzia " | 18-24" rry, 15-18" 18-24" 2-3' Elegantissima, 2-3' Gray Bark, 2-3' Lantana, yellow twig, 2-3' Siberica, 2-3' " 3-4' ster, Acutifolia, 2-3' " 4-5' Franchetti, 15-18" Simousi, 3-4' Cneorum, 6-8" " 8-10" " 10-12" Crenata, 2-3' " 3-4' " 10-12" | .40 40 .25 .30 .35 .30 .30 .40 .75 .90 1.00 .75 .60 .80 1.00 .30 .40 |
| Clethra, Coralbe " Cornus, " " Cotonea " " " Daphne " " Deutzia " | 18-24" rry, 15-18" 18-24" 2-3' Elegantissima, 2-3' Gray Bark, 2-3' Lantana, yellow twig, 2-3' Siberica, 2-3' " 3-4' ster, Acutifolia, 2-3' " 4-5' Franchetti, 15-18" Simousi, 3-4' Cneorum, 6-8" " 8-10" " 10-12" Crenata, 2-3' " 3-4' " 4-5' Gracilis, 10-12" | .40 40 .25 .30 .35 .30 .30 .40 .75 .90 1.00 .75 .60 .80 1.00 .30 .40 |
| Clethra, Coralbe " Cornus, " " Cotonea " " " Daphne " " Deutzia " " | 18-24" rry, 15-18" 18-24" 2-3' Elegantissima, 2-3' Gray Bark, 2-3' Lantana, yellow twig, 2-3' Siberica, 2-3' " 3-4' ster, Acutifolia, 2-3' " 4-5' Franchetti, 15-18" Simousi, 3-4' Cneorum, 6-8" " 8-10" " 10-12" Crenata, 2-3' " 3-4' " 4-5' Gracilis, 10-12" " 12-15" | .40 40 .25 .30 .35 .30 .30 .40 .75 .90 1.00 .75 .60 .80 1.00 .30 .40 |
| Clethra, Coralbe " " Cornus, " " " Cotonea " " " Daphne " " Deutzia " " " | 18-24" rry, 15-18" 18-24" 2-3' Elegantissima, 2-3' Gray Bark, 2-3' Lantana, yellow twig, 2-3' Siberica, 2-3' " 3-4' ster, Acutifolia, 2-3' " 4-5' Franchetti, 15-18" Simousi, 3-4' Cneorum, 6-8" " 8-10" " 10-12" Crenata, 2-3' " 3-4' " 4-5' Gracilis, 10-12" " 12-15" | .40 40 .25 .30 .35 .30 .30 .40 .75 .90 1.00 .75 .60 .80 1.00 .30 .40 .30 .40 .30 .30 .30 .30 .30 .30 .30 .30 .30 .3 |
| Clethra, Coralbe " " Cornus, " " " Cotonea " " " Daphne " " Deutzia " " " " " " " " " " " " " " " " " " " | 18-24" rry, 15-18" 18-24" 2-3' Elegantissima, 2-3' Gray Bark, 2-3' Lantana, yellow twig, 2-3' Siberica, 2-3' " 3-4' ster, Acutifolia, 2-3' " 4-5' Franchetti, 15-18" Simousi, 3-4' Cneorum, 6-8" " 8-10" " 10-12" Crenata, 2-3' " 3-4' " 4-5' Gracilis, 10-12" " 12-15" " 15-18" Pride of Rochester, 2-3' " " 3-4' | .40 40 .25 .30 .35 .30 .30 .40 .75 .90 1.00 .75 .75 .60 .80 1.00 .30 .40 .40 .50 .30 .40 .40 .40 .40 .40 .40 .40 .40 .40 .4 |
| Clethra, Coralbe " " Cornus, " " " " Cotonea " " " Daphne " " Deutzia " " " " Eleagnu | 18-24" rry, 15-18" 18-24" 2-3' Elegantissima, 2-3' Gray Bark, 2-3' Lantana, yellow twig, 2-3' Siberica, 2-3' " 3-4' ster, Acutifolia, 2-3' " 4-5' Franchetti, 15-18" Simousi, 3-4' Cneorum, 6-8" " 8-10" " 10-12" Crenata, 2-3' " 3-4' " 4-5' Gracilis, 10-12" " 12-15" " 15-18" Pride of Rochester, 2-3' " " " 3-4' us, Longipes, 2-2½' | .40 40 .25 .30 .35 .30 .30 .40 .75 .75 .60 .80 1.00 .30 .40 .50 .30 .40 .40 .40 |
| Clethra, Coralbe " " Cornus, " " " " Cotonea " " " Daphne " " Deutzia " " " " Eleagnu | 18-24" rry, 15-18" 2-3' Elegantissima, 2-3' Gray Bark, 2-3' Lantana, yellow twig, 2-3' Siberica, 2-3' " 3-4' " 4-5' Franchetti, 15-18" Simousi, 3-4' Cneorum, 6-8" " 8-10" " 10-12" Crenata, 2-3' " 3-4' " 4-5' Gracilis, 10-12" " 12-15" " 12-15" " 15-18" Pride of Rochester, 2-3' " " " 3-4' us, Longipes, 2-2½' Cut Leaf, 2-3' | .40 40 .25 .30 .35 .50 .30 .40 .75 .90 1.00 .75 .75 .60 .80 1.00 .30 .40 .40 .50 .30 .40 .40 .40 .50 .40 .40 .40 .40 .40 .40 .40 .40 .40 .4 |
| Clethra, Coralbe " " Cornus, " " " Cotonea " " " Daphne " " Deutzia " " " Eleagnu Elder, (Cotonea) | 18-24" rry, 15-18" 2-3' Elegantissima, 2-3' Gray Bark, 2-3' Lantana, yellow twig, 2-3' Siberica, 2-3' " 3-4' " 4-5' Franchetti, 15-18" Simousi, 3-4' Cneorum, 6-8" " 8-10" " 10-12" Crenata, 2-3' " 3-4' " 4-5' Gracilis, 10-12" " 12-15" " 12-15" " 15-18" Pride of Rochester, 2-3' " 3-4' " 3-4' " 3-4' " 3-4' " 3-4' " 3-4' " 3-4' " 3-4' " 3-4' " 3-4' " 3-5-18" Pride of Rochester, 2-3' " " 3-4' " 3- | .40 40 .25 .30 .35 .30 .30 .40 .75 .75 .60 .80 1.00 .30 .40 .50 .30 .40 .40 .40 |

| ORNAMENTAL SHRUBS—Continued | Each |
|---|----------|
| Elder, Golden, 2-3' | 30 |
| " 3-4′ | 50 |
| " Red Fruited, 5-6' | |
| Euonymus Vegetus, 3 yr. | 50 |
| Exochorda, Pearl Bush, 18-24" | 30 |
| " " 2-3' | |
| " " 3·4' | |
| Forsythia, Intermedia, 18-24" | |
| " " 2-3' | |
| 4* <i>0</i> | |
| Specialitis, 4.5 | |
| £-6 | |
| Suspensa, 2-5 | |
| 0-4 | .35 |
| " Virdissima, 2-3' | .35 |
| О-т | 00 |
| Fringe, Purple, 18-24" | |
| " " 3-4' | |
| Hamamelis, 3-4' | |
| Honeysuckle, Fragrantissima, 18-24" | 30 |
| " " " " " " " " " " " " " " | 30 35 |
| " " 2-3' | .30 |
| " " 3-4' | .35 |
| " Tart. Pink, 18-24" | .30 |
| " " 2-3' | .35 |
| " " 3-4' | |
| " " 4-5' | .50 |
| " Red, 2-3' | .30 |
| " " 3-4' | |
| Hydrangea, Hills of Snow, 15-18" | .25 |
| " " " 18-24" | .30 |
| " " 2-2½' | .35 |
| " P. G., 18-24" | 30 |
| " " 2-3' | |
| 0°# | |
| #-0 | |
| Huckleberry, 18" | |
| Ilex, Verticillata, 18-24" | |
| 2°0 | .35 |
| 0.4 | .40 |
| Japan Quince, 15-18" | .30 |
| " " 18-24" | 1.05 |
| " " " 2-2½' | 1.20 |
| Kerria, 15-18" | .40 |
| Lespedeza, 3 yr. | .40 |
| Lily, Auratum | |
| " Red Russian | |
| " Regal | |
| " Tiger | .25 |
| Lilac, Purple, 18-24" | .30 |
| | |
| | |
| " " 2-3' " " 3-4' " White, 15-18" " " 18-24" | 30 |
| " 18-24" | .35 |
| " " 2-3' | 45 |
| " " " " " " " " " " " " " " " " " " " | .60 |
| " Persian Pink, 18-24" | 40 |
| " " 2-3' | 50 |
| " Purple, 18-24" | 35 |
| 4-5 | .40 |
| " Chas. X, Red, 2-3' " Pres. Grevy, Blue, 2-3' | .75 |
| " Marie LeGraye, White, 2-3" | .75 |
| " Wm. Robinson, violet, 2-3" | |

| ORNAMENTAL SHRUBS—Continued | Each |
|---|------------------|
| Lilac, Josikea, 3-4' | |
| " " 5-6' <u></u> | 1.00 |
| Mahonia, 15-18" | . 1.00 . 1.25 |
| " 18-24" Mallow Marvel | 35 |
| Paeonias, 3-5 yr. clumps | .40 |
| " divisions, 3-5 eyes | .10 |
| Philadelphus, Aurea Golden, 12-15" | |
| " " " 18-24" " " 2-3' | |
| " Avalanche, 18-24" | 50 |
| " Coronarius, 15-18" | 25 |
| " 2-3' | 40 |
| " 3·4' | |
| " Grandiflora, 3-4' | |
| 4-0 | |
| " 5-6' | |
| " 3-4' | |
| " Virginalis, 12-15" | 30 |
| " 15-18" | |
| " " 18-24" | |
| " 2-3' " 3-4' | |
| | |
| Pieris, Japonica, 15-18" | 1.00 |
| Potentilla, Fruticosa, 15-18" | .40 |
| " 18-24" | |
| Privet, Amur River North, 12-18" | |
| " " " 18-24" | |
| " English, 3-4' | |
| " Ibota, 12-18" | 15 |
| " " 18-24" | |
| " " 2-21/2' | 20 |
| " " 2½-3' " Lodense, 10-12" B&B | 25 |
| " " 12-15" " | |
| " " 15-18" " | |
| " " 18-21" " | |
| " " 21-24" " " | |
| 100gais, 10°10 | |
| " " 18-24" " " 2-3' | |
| " " 3-3½' | |
| " " 3½-4' | 40 |
| Rhodotypos, 18-24" | 30 |
| " 2-3' Rose, Blaze, 18-24" | |
| Rose, Blaze, 18-24" "Father Hugonis, 3 yr. | |
| " Grootensdorst 2 vr | .35 |
| " H. T., assorted, 18-24" | 35 |
| " Rambler, Crimson, 2-3' | 35 |
| " Pink, 2-3' Yellow, 2-3' Yellow, 2-3' | 35 |
| Ross Rugoss Red 19-18" | 35 30 |
| Rosa, Rugosa Red, 12-18" "" " 18-24" | 35 |
| " White, 12-18" | 30 |
| " " 18-24" | 35 |
| "Wichuriana, 18-24" Snowball, Common, 18-24" " " 2-3" | 30 |
| % " 2-3' | 30 35 |
| " Japan, 18-24" | 35 35 |
| 2-3' | 40 |
| Snowberry. 15-18" | 25 |
| " 18-24" | 30 |

| | ORNAMENTAL SHRUBS—Continued | Each |
|---------|---|--------|
| Spirea, | Anthony Waterer, 12-18" | .30 |
| " | " 18-24" | 35 |
| u | Aurea, golden leaf, 18-24" | 30 |
| " | " " 3-4′ | 35 |
| " | Billardi, 2-3' | 30 |
| " | 3-4' | 35 |
| " | Bumalda, 15-18" | 30 |
| " | " 18-24" | .35 |
| | Douglas, 2-3' | 35 |
| " | Froebelli, 18-24" | |
| " | 4°0 | 35 |
| " | Korean, 18-24" | |
| " | △•0 | |
| " | 0t | |
| 66 | Opulifolia, 3-4' Prunifolia, 18-24" Thunbergi, 18-24" | .40 |
| " | Thunbergi 18-94" | .30 |
| " | " 2-3' | .35 |
| 66 | Van Houtte, 12-15" | |
| " | " " 15-18" | |
| " | " " 18-24" | 4.0 |
| " | " " 2-3' | |
| " | " " 3·4′ <u> </u> | 25 |
| " | " " 4-5' | 30 |
| " | " " 5-6' | |
| Sumach | , Staghorn, 3-4' | 30 |
| " | 4-5' | 40 |
| Tamari | x, Africana, 2-3' | 40 |
| | " 3-4′ | 50 |
| Viburni | um, Americanum, 2-3' | 40 |
| 66 | 3-4' | 50 |
| " | Dentatum, 2-3' | 30 |
| " | · · · · · · · · · · · · · · · · · · · | |
| " | Dilatatum, 2-3' | |
| " | Lantana, 2-3' | 40 |
| " | Tomentosum, 2-3' | 40 |
| Vitex. | Macrophylla, 15-18" | 60 |
| Weigeli | Macrophylla, 15-18" ia, Eva Rathke, red, 15-18" | 35 |
| " | " " 18-24" | 45 |
| " | Novan, white, 2-3' | |
| " | Rosea, pink, 2-3' | 35 |
| " | " 3-4' | |
| " | " " 5-6' | 50 |
| " | Variegated, 18-24" | |
| | Hazle, 2-3' | |
| Yucca, | 3 yrendron, Catawbiense, 15-18" | 35 |
| Rhodod | | . 1.75 |
| | | |
| 6 | Δ-5 | |
| 6 | | |
| 6 | | |
| | 10 21 | . 1.00 |
| | CLIMBING VINES | |
| Ampelo | psis Vetcheii, 1 yr. transplanted | 35 |
| | | |
| Bitters | ia Radicans, 2 yrweet, native, 2 yr | 30 |
| " | oriental, 4 yr. | 35 |
| Clemat | is. P. G., 2 vr. | .40 |
| " | large flowering, 2 yr. | 75 |
| Dutchn | nan's Pipe, 1 yr. | 50 |
| English | ı Ivy, 3 yr | 30 |
| Honeys | suckle, Hall's Jap., 2 yr. | 25 |
| | 1 yr | |
| Japane | se Lace Vine, 2 yr | 60 |

| CLIMBING VINES—Continued | I |
|--|---|
| Matrimony Vine, 2 yr. | |
| Myrtle, 2 yr. | |
| Pachysandra, 2 yr | |
| Wisteria, Purple, 3 yr. | |
| Woodbine, Jap, 3 yr. | |
| Trumpet Vine, 3 yr. | |
| Planding Haart 2 yr elumns | |
| Bleeding Heart, 3 yr. clumps | |
| Distance 9 am | • |
| Dictamnus, 2 yr. | - |
| Hypsophylla, 2 yr. | - |
| Bristol Fairy, 2 yr. | - |
| ris, Cristata, clumps | |
| divisions, 1 yr | |
| "German, clumps, 3 yr | |
| " divisions | |
| " Japan, clumps, 3 yr | |
| " 1 yr. | |
| " divisions | |
| " Siberian, clumps | |
| " divisions | |
| " Spanish Blue, clumps | |
| " divisions | |
| Phlox, 1 yr. | |
| " 2 yr. | |
| | |
| edum, 2 yr | |
| tatic, 2 yr. | |
| weet William, 2 yr. | |
| pple, 4-5' | |
| · 5-7' | |
| Apricot | |
| 'ear, 4-5' | |
| ** 5-7' | |
| lum, 3½-4′ | |
| " 4-5' | |
| Peach, 2 yr | |
| frape Vines, 3 yr | |
| | |
| BEDS | |
| Azalea, 6-8" | |
| rbor Vitae, Doug. Pyr., 8-10" | |
| " " Globe, 8-10" | |
| " " Globe, 8-10" " Oriental, 6-8" | |
| 1° Th-1 C 0" | |
| " Concolor 6-8" | |
| Iomlock Consdian 68" | |
| emiter, Canadian, 0-8 | |
| umper, Andorra, 6-8" | |
| Irish, 10-12" | - |
| " Virginiana, 8-10" | |
| " Concolor, 6-8" Hemlock, Canadian, 6-8" " Irish, 10-12" " Virginiana, 8-10" " Mugho 8-10" | |
| " Mugho, 8-10" | |
| Retinospora, Plumosa Aurea 6-8" | |
| Spruce, Black Hills, 6-8" | |
| " Colo., 10·12" | |
| "Colo., 10-12" Caxus Cuspidata, 6-8" | |
| "Hicksii, 6-8" | |
| TITOROIL, O O | • |

RETURN TO

ELMER SHERWOOD NURSERY CO.

Nurserymen

New York

If Not Delivered in Five Days

SECTION 562, P. L. & R.